



SUPPLEMENTAL AMENDMENT UNDER 37 C.F.R. § 1.111
U.S. Application No. 10/823,700

Attorney Docket No. Q80833

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original): A silver halide color photographic photosensitive material comprising a support and photographic layers including a yellow color-developing blue light-sensitive silver halide emulsion layer, a magenta color-developing green light-sensitive silver halide emulsion layer, a cyan color-developing red light-sensitive silver halide emulsion layer and a non-photosensitive hydrophilic colloid layer, wherein a total silver coating amount in the photographic layers is within a range from 0.2 to 0.5 g/m² and the yellow color-developing blue light-sensitive silver halide emulsion layer includes a silver halide emulsion having silver halide grains which have a sphere-equivalent diameter of no more than 0.6 μm and a silver chloride content of at least 90 mol%.

2. (original): A silver halide color photographic photosensitive material according to claim 1, wherein said magenta color-developing green light-sensitive silver halide emulsion layer and said cyan color-developing red light-sensitive silver halide emulsion layer include a silver halide emulsion having silver halide grains which have a sphere-equivalent diameter of no more than 0.4 μm and a silver chloride content of at least 90 mol%.

3. (original): A silver halide color photographic photosensitive material according to claim 1, wherein the silver halide grains of the silver halide emulsion contained in said yellow

color-developing blue light-sensitive silver halide emulsion layer have a silver bromide content within a range from 0.1 to 7 mol%.

4. (original): A silver halide color photographic photosensitive material according to claim 1, wherein the silver halide grains of the silver halide emulsion contained in said yellow color-developing blue light-sensitive silver halide emulsion layer have a silver iodide content within a range from 0.02 to 1 mol%.

5. (original): A silver halide color photographic photosensitive material according to claim 1, wherein the silver halide grains of the silver halide emulsion contained in said yellow color-developing blue light-sensitive silver halide emulsion layer have a silver bromide content within a range from 0.1 to 7 mol%, and a silver iodide content within a range from 0.02 to 1 mol%.

6. (original): A silver halide color photographic photosensitive material according to claim 1, wherein the silver halide grains of the silver halide emulsion contained in said yellow color-developing blue light-sensitive silver halide emulsion layer are cubic grains or tetradecahedral grains.

7. (original): A silver halide color photographic photosensitive material according to claim 1, wherein the silver halide grains of the silver halide emulsion contained in said yellow color-developing blue light-sensitive silver halide emulsion layer include a 6-coordination complex including Ir as a central metal and Cl, Br or I as a ligand.

8. (currently amended): A silver halide color photographic photosensitive material according to claim 1, wherein the silver halide grains of the silver halide emulsion contained in

said yellow color-developing blue light-sensitive silver halide emulsion layer include a 6-coordination complex including Ir as a central metal and at least one ligand other than halogen and ~~cyan~~ cyano.

9. (original): An image forming method comprising the steps of imagewise exposing the silver halide color photographic photosensitive material according to claim 1 to a coherent light of a blue laser having a light emission wavelength range of 420 to 460 nm and then subjecting the photosensitive material to a color development process.

10. (original): An image forming method comprising the steps of imagewise exposing the silver halide color photographic photosensitive material according to claim 1 and then subjecting the photosensitive material to a color development process with a color developing time of 20 seconds or less.

11. (original): An image forming method comprising the steps of imagewise exposing the silver halide color photographic photosensitive material according to claim 1 to coherent light of a blue laser having a light emission wavelength within a range of 420 to 460 nm and then subjecting the photosensitive material to a color development process with a color developing time of 20 seconds or less.